

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Spotlights

Our new range of LED spotlights with Samsung LEDs is your best choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They can deliver the same warm light as halogen spots while exhibiting the energy-saving benefits of LEDs. Ideal for retail and residential lighting.


Key Features

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 10°, 38° and 110°
- Set the right tone: dimmable options available

LED CAPSULE LIGHTS



Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.4
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21240 | 3000K WARM WHITE 21241 | 4000K DAY WHITE 21242 | 6500K WHITE	VT-201-N	1.1W	100	10w	G4	300°	Ø10x37mm	400

LED CAPSULE LIGHTS



Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.4
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21131 | 3000K WARM WHITE 21132 | 4000K DAY WHITE 21133 | 6500K WHITE	VT-234-N	3.2W	385	30w	G4	300°	Ø16x44mm	400

LED CAPSULE LIGHTS



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20478 | 3000K WARM WHITE 20479 | 4000K DAY WHITE	VT-11033	2.2W	200	20w	G9	300°	Ø18x56mm	400


*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED CAPSULE LIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21246 | 3000K WARM WHITE 21247 | 4000K DAY WHITE 21248 | 6500K WHITE	VT-204-N	3W	330	30w	G9	300°	Ø17x49mm	400



LED SPOTLIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21869 | 3000K WARM WHITE 21870 | 4000K DAY WHITE 21871 | 6400K WHITE	VT-232-N	2W	150	15w	GU10	38°	Ø35x46.5mm	200



LED SPOTLIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21875 | 3000K WARM WHITE 21876 | 4000K DAY WHITE 21877 | 6500K WHITE	VT-291-N	7.5W	610	70w	GU10	38°	Ø50x55mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED SPOTLIGHTS



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


DIMMABLE OPTIONS

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21108 | 3000K WARM WHITE 21797 | 4000K DAY WHITE 21511 | 6500K WHITE	VT-275-N	4.5W	345	50w	GU10	38°	Ø50x55mm	200
21189 | 3000K WARM WHITE 21190 | 4000K DAY WHITE 21191 | 6500K WHITE	VT-227-N	6W	445	60w	GU10	38°	Ø50x55mm	200
21195 | 3000K WARM WHITE 21196 | 4000K DAY WHITE 21197 | 6500K WHITE	VT-227D-N	6W **Dimmable**	445	60w	GU10	38°	Ø50x55mm	200
21165 | 3000K WARM WHITE 21166 | 4000K DAY WHITE 21167 | 6500K WHITE	VT-277-N	6W	445	60w	GU10	38°	Ø50x55mm	200
166 | 4000K DAY WHITE	VT-277	7W	480	60w	GU10	38°	Ø50x55mm	200

LED SPOTLIGHTS



Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21207 | 3000K WARM WHITE 21208 | 4000K DAY WHITE 21209 | 6500K WHITE	VT-267-N	6W	455	60w	GU5.3	38°	Ø50x52mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21201 | 3000K WARM WHITE 21202 | 4000K DAY WHITE 21203 | 6500K WHITE	VT-205-N	4.5W	400	35w	GU10	100°	Ø50x56.5mm	200
880 | 6400K WHITE	VT-271	10W	1000	70w	GU10	110°	Ø50x57mm	200
21878 | 3000K WARM WHITE 21879 | 4000K DAY WHITE 21880 | 6500K WHITE	VT-271-N	10W	1000	70w	GU10	100°	Ø50x56.5mm	200



LED SPOTLIGHTS

Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21204 | 3000K WARM WHITE 21205 | 4000K DAY WHITE 21206 | 6500K WHITE	VT-257-N	6W	455	60w	GU5.3	110°	Ø50x52mm	200



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

DIMMABLE OPTIONS

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21192 | 3000K WARM WHITE 21193 | 4000K DAY WHITE 21194 | 6500K WHITE	VT-247-N	6W	445	60w	GU10	110°	Ø50x55mm	200
21198 | 3000K WARM WHITE 21199 | 4000K DAY WHITE 21200 | 6500K WHITE	VT-247D-N	6W **Dimmable**	445	60w	GU10	110°	Ø50x55mm	200


*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED SPOTLIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21872 | 3000K WARM WHITE 21873 | 4000K DAY WHITE 21874 | 6500K WHITE	VT-292-N	7.5W	610	70w	GU10	110°	Ø50x55mm	200

LED SPOTLIGHTS



05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20028 | 6400K WHITE	VT-249	6W	500	50w	GU10	10°	Ø50x55mm	200
2120026 | 3000K WARM WHITE 2120027 | 4000K DAY WHITE	VT-249-N	6W	445	60w	GU10	10°	Ø50x55mm	200



*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Bulbs

Find the right bulb in V-TAC's newly improved range of LED bulbs. Our recent in-branding program enabled us to equip all LED PRO Series lamp range with LEDs provided by Samsung.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range of options to replace 60W to 150W traditional lamps and achieve energy-saving lighting in your home, office, or business.


Key Features

- Wide range of bulbs
- Lightweight yet durable body
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000 hr lifespan: remarkable performance compared to conventional and other LED lamps



LED FILAMENT GLASS BULB-E27

Voltage/Frequency	AC:220-240V, 50Hz
Life Span	20,000 hr
PF	>0.6
CRI	>80



EFFICIENCY 160 LUMENS/W


02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2817 | 6400K WHITE	VT-2324	24W	4000	250w	E27	ED120	Ø120x300mm	20



HIGH LUMEN BULBS-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



120 LUMEN/W


05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
259 | 4000K DAY WHITE	VT-255	4.5W	470	40w	E14	Candle	Ø37x100mm	200



HIGH LUMEN BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
262 | 4000K DAY WHITE	VT-245	4.5W	470	40w	E27	G45	Ø45x81mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



HIGH LUMEN BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
256 | 4000K DAY WHITE 257 | 6400K WHITE	VT-265	6.5W	806	60w	E27	A60	Ø60x104mm	100
254 | 6400K WHITE	VT-285	8.5W	1055	75w	E27	A60	Ø60x112mm	100



HIGH LUMEN BULBS-G120-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2120021 | 3000K WARM WHITE 2120022 | 4000K DAY WHITE 2120023 | 6500K WHITE	VT-242-N	22W	2600	155w	E27	G120	Ø120x160mm	20

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED THERMOPLASTIC BULBS

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.






LED THERMOPLASTIC BULBS-ST26



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21234 | 3000K WARM WHITE 21235 | 4000K DAY WHITE	VT-202-N	2W	180	18w	E14	ST26	Ø26x59mm	400

LED THERMOPLASTIC BULBS-T37-E14



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21269 | 6500K WHITE	VT-248-N	7.5W	660	50w	E14	T37	Ø37x155mm	200

LED THERMOPLASTIC BULBS-CANDLE-B22



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

BAYONET HOLDER

05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21103 | 3000K WARM WHITE 2120152 | 6500K WHITE	VT-223-N	4.5W	470	40w	B22	Candle	Ø36.5x100mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED THERMOPLASTIC BULBS-CANDLE-E14



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8040 | 3000K WARM WHITE 8041 | 6500K WHITE	VT-1850	3.7W	320	30w	E14	Candle	Ø36.5x100mm	200
21171 | 3000K WARM WHITE 21172 | 4000K DAY WHITE 21173 | 6400K WHITE	VT-226-N	4.5W	470	40w	E14	Candle	Ø36.5x100mm	200
2120045 | 3000K WARM WHITE 2120186 | 4000K DAY WHITE 2120187 | 6500K WHITE	VT-293D-N	5.5W **Dimmable**	470	40w	E14	Candle	Ø36.5x100mm	200
111 | 3000K WARM WHITE 113 | 6400K WHITE	VT-268	7W	600	45w	E14	Candle	Ø38x102mm	200
21112 | 4000K DAY WHITE 21113 | 6500K WHITE	VT-268-N	6.5W	600	45w	E14	Candle	Ø36.5x100mm	200

LED THERMOPLASTIC BULBS-G45-E27



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8045 | 3000K WARM WHITE 8046 | 4000K DAY WHITE 8047 | 6500K WHITE	VT-1812	3.7W	320	30w	E27	G45	Ø45x80mm	200
21174 | 3000K WARM WHITE 21175 | 4000K DAY WHITE 21176 | 6400K WHITE	VT-246-N	4.5W	470	40w	E27	G45	Ø45x80mm	200
21866 | 3000K WARM WHITE 21867 | 4000K DAY WHITE 21868 | 6500K WHITE	VT-290-N	6.5W	600	45w	E27	G45	Ø45x80mm	200

LED THERMOPLASTIC BULBS-G45-B22



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21104 | 3000K WARM WHITE	VT-221-N	4.5W	470	40w	B22	G45	Ø45x80mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED THERMOPLASTIC BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8042 | 3000K WARM WHITE 8043 | 4000K DAY WHITE 8044 | 6500K WHITE	VT-1804	3.7W	320	30w	E14	P45	Ø45x80mm	200
21168 | 3000K WARM WHITE 21169 | 4000K DAY WHITE 21170 | 6400K WHITE	VT-236-N	4.5W	470	40w	E14	P45	Ø45x80mm	200
21863 | 3000K WARM WHITE 21864 | 4000K DAY WHITE 21865 | 6400K WHITE	VT-270-N	6.5W	600	45w	E14	P45	Ø45x80mm	200



LED THERMOPLASTIC BULBS-A60-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
114 | 3000K WARM WHITE	VT-269	9W	806	60w	E14	A60	Ø58x112mm	100
21114 | 3000K WARM WHITE 21115 | 4000K DAY WHITE 21116 | 6500K WHITE	VT-269-N	8.5W	806	60w	E14	A60	Ø60x108mm	100



LED THERMOPLASTIC BULBS-A60-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21228 | 3000K WARM WHITE 21229 | 4000K DAY WHITE 21230 | 6500K WHITE	VT-210-N	8.5W	806	60w	E27	A60	Ø60x108mm	100
21177 | 3000K WARM WHITE 21178 | 4000K DAY WHITE 21179 | 6500K WHITE	VT-211-N	10.5W	1055	75w	E27	A60	Ø60x110mm	100
20185 | 6400K WHITE	VT-262D	12W **Dimmable**	1055	75w	E27	A60	Ø60x120mm	100
2120044 | 3000K WARM WHITE 2120184 | 4000K DAY WHITE	VT-262D-N	11W **Dimmable**	1055	75w	E27	A60	Ø60x120mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED THERMOPLASTIC BULBS-A60-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

BAYONET HOLDER

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21101 | 3000K WARM WHITE 21850 | 4000K DAY WHITE 21851 | 6500K WHITE	VT-229-N	8.5W	806	60w	B22	A60	Ø60x108mm	100
21852 | 3000K WARM WHITE	VT-259D-N	8.5W **Dimmable**	806	60	B22	A60	Ø60x108mm	96
21110 | 4000K DAY WHITE	VT-213-N	10.5W	1055	75w	B22	A60	Ø60x120mm	100
21102 | 3000K WARM WHITE 21853 | 6500K WHITE	VT-231-N	10.5W	1055	75w	B22	A60	Ø60x110mm	100



LED THERMOPLASTIC BULBS-A65-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
23212 | 4000K DAY WHITE 23213 | 6500K WHITE	VT-21015	15W	1521	100w	E27	A65	Ø65x134mm	100
159 | 3000K WARM WHITE	VT-215	15W	1250	85w	E27	A65	Ø65x135mm	100
23214 | 4000K DAY WHITE 23215 | 6500K WHITE	VT-21017	17W	1710	110w	E27	A65	Ø65x134mm	100
162 | 3000K WARM WHITE	VT-217	17W	1521	100w	E27	A65	Ø65x135mm	100
20189 | 4000K DAY WHITE 20190 | 6400K WHITE	VT-217D	17W **Dimmable**	1521	100w	E27	A65	Ø65x135mm	100



LED THERMOPLASTIC BULBS-A65-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21854 | 3000K WARM WHITE 21855 | 6500K WHITE	VT-281-N	15W	1521	100w	B22	A65	Ø65x134mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED THERMOPLASTIC BULBS-A80-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21237 | 3000K WARM WHITE 21238 | 4000K DAY WHITE 21239 | 6500K WHITE	VT-233-N	20W	2452	150w	E27	A80	Ø80x148mm	50

LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.







LED REFLECTOR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21210 | 3000K WARM WHITE 21212 | 6500K WHITE	VT-239-N	2.9W	250	25w	E14	R39	Ø39x67mm	200
21138 | 3000K WARM WHITE 21139 | 4000K DAY WHITE	VT-250-N	4.8W	470	40w	E14	R50	Ø50x85mm	200
21141 | 3000K WARM WHITE 21142 | 4000K DAY WHITE 21143 | 6500K WHITE	VT-263-N	8.5W	806	60w	E27	R63	Ø63x100mm	100
21135 | 3000K WARM WHITE 21136 | 4000K DAY WHITE 21137 | 6500K WHITE	VT-280-N	11W	1055	75w	E27	R80	Ø80x112mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.





LED PAR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21147 | 3000K WARM WHITE 21148 | 4000K DAY WHITE 21149 | 6500K WHITE	VT-220-N	5.8W	425	55w	E27	PAR20	Ø64x84mm	100
21153 | 3000K WARM WHITE 21154 | 4000K DAY WHITE 21155 | 6500K WHITE	VT-230-N	11W	800	90w	E27	PAR30	Ø95x120mm	30
21150 | 3000K WARM WHITE 21151 | 4000K DAY WHITE 21152 | 6400K WHITE	VT-238-N	12.8W	930	105w	E27	PAR38	Ø121x130mm	30

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

BIG BULB & UFO


V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.





GX53 BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21222 | 3000K WARM WHITE 21223 | 4000K DAY WHITE 21224 | 6500K WHITE	VT-207-N	6.4W	560	45w	GX53		Ø79x29mm	200



LED BIG BULB-G120

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
125 | 6400K WHITE	VT-288	18W	2000	125w	E27	G120	Ø120x164mm	20
21125 | 6500K WHITE	VT-288-N	18W	2000	125w	E27	G120	Ø120x160mm	20

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.9
CRI	>80




02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21284 | 4000K DAY WHITE 21285 | 6500K WHITE	VT-240-N	36W	3960	250w	E27	NA	Ø90x212mm	30



LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.9
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
186 | 3000K WARM WHITE	VT-260	60W	5400	NA	E40	NA	Ø102x320mm	20
21187 | 4000K DAY WHITE 21188 | 6500K WHITE	VT-260-N	60W	6500	NA	E40	NA	Ø102x320mm	20



LED ACRYLIC BULBS

Voltage/Frequency	AC: 200-240V,50/60Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80

05 YEAR WARRANTY



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2781 | 3000K WARM WHITE 2782 | 4000K DAY WHITE 2783 | 6400K WHITE	VT-2311	11W	900	70w	E27	NA	Ø190x120mm	18
2784 | 3000K WARM WHITE 2785 | 4000K DAY WHITE 2786 | 6400K WHITE	VT-2318	18W	1200	90w	E27	NA	Ø220x125mm	18

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED EMERGENCY BULBS

The Emergency Bulb is equipped with a back-up battery which enables the unit to work for up to 3 hours in power outages and other emergency situations. It is also a portable, multifunctional LED bulb which can be used as a camping light, flashlight, warehouse light, and more.







LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	NA
CRI	>80



3 HOURS EMERGENCY BATTERY

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7010 | 4000K DAY WHITE	VT-509	9W	720	50w	E27	A70	Ø70x135mm	100



LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	NA
CRI	>80



3 HOURS EMERGENCY BATTERY

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7794 | 4000K DAY WHITE	VT-51012	12W	960	65w	E27	A80	Ø77x147mm	100
7795 | 4000K DAY WHITE	VT-51015	15W	1200	80W	E27	A90	Ø88x165mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC

Meaningful Innovation.



LED Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for maximum efficiency, V-TAC's extensive range of LED thermoplastic bulb series are your ideal choice for any kind of lighting requirement.

Key Features


- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non – Flickering
- Dimmable & Non Dimmable options

HIGH CRI BULBS-P45



CRI 95


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>95



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7490 - 6400K WHITE	VT-2236	5.5W	470	40W	E14	P45	Ø45x81	200

RF REMOTE CONTROL BULBS-CANDLE





REMOTE CONTROL DIMMABLE

RGB


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2771 -RGB+6400K	VT-2214	3.5W	320	30W	E14	Candle	Ø37x100	200
2926 -RGB+3000K 2929 -RGB+4000K	VT-2214-N-1	4.8W	470	30W	E14	Candle	Ø36.5x110	200

RF REMOTE CONTROL BULBS-P45





REMOTE CONTROL DIMMABLE

RGB

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2777 -RGB+6400K	VT-2234	3.5W	320	30W	E14	P45	Ø45x81	200
3029 - RGB+3000K	VT-2234-SQ	4.8W **Square Remote**	470	40W	E14	P45	Ø47.5x88	200



RF REMOTE CONTROL BULBS-A60



REMOTE CONTROL DIMMABLE

RGB

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2928 -RGB+4000K	VT-2229-N-1	8.5W	806	60W	E27	A60	Ø60x120	100



3 STEP DIMMING LED FILAMENT BULBS-P45



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6846 - 3000K WARM WHITE	VT-2604	4W	400	35W	E14	P45	Ø45x78	100



3 STEP DIMMING LED FILAMENT BULBS-G45



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6847 - 3000K WARM WHITE	VT-2704	4W	400	35W	E27	GP45	Ø45x72	100



3 STEP DIMMING LED FILAMENT BULBS-CANDLE



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6848 - 3000K WARM WHITE	VT-2804	4W	400	35W	E14	Candle	Ø35x98	100



3 STEP DIMMING LED FILAMENT BULBS-A60



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6845 - 3000K WARM WHITE	VT-2504	4W	400	35W	E27	A60	Ø60x105	100



3 STEP DIMMING BULBS-A60



3 STEP DIMMING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4449 - 6400K WHITE	VT-2011	9W	806	60W	E27	A60	Ø60x112	100



3 STEP DIMMING BULBS 2PCS BLISTER PACK



3 STEP DIMMING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7288 - 2700K WARM WHITE 7289 - 4000K DAY WHITE 7290 - 6400K WHITE	VT-2129	9W	806	60W	E27	A60	Ø60x112	25



COLOR CHANGING BULBS-A60



COLOR CHANGING ON CLICK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7317 - 3 IN 1	VT-2119	9W	806	60W	E27	A60	Ø60x112	100



COLOR CHANGING BULBS 2PCS BLISTER PACK



COLOR CHANGING ON CLICK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7309 - 3 IN 1	VT-2149	9W	806	60W	E27	A60	Ø60x112	25

LED CANDLE BULBS

Our candle-shaped LED bulbs are energy-efficient replacements for traditional halogen lamps that come with chandeliers, wall lights, desk lamps, and other decorative lighting fixtures.
• Includes E14 and E27 base variations
• No UV radiation and mercury-free






LED CANDLE BULBS-E14



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2984 - 3000K WARM WHITE 2985 - 4000K DAY WHITE 2986 - 6500K WHITE	VT-2323	2.9W	250	25W	E14	Candle	Ø36.5x100	200
214216 - 3000K WARM WHITE 214166 - 4000K DAY WHITE 214122 - 6500K WHITE	VT-1818-N	3.7W	320	25W	E14	Candle	Ø37x100	200
2142151 - 3000K WARM WHITE 2142581 - 4000K DAY WHITE 2142411 - 6500K WHITE	VT-1855-N	4.5W	470	40W	E14	Candle	Ø36.5x100	200



LED CANDLE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4156 - 4000K DAY WHITE	VT-1818TP	4W	320	30W	E14	Candle	Ø37x124	200
214164 - 3000K WARM WHITE	VT-1818TP-N	3.7W	320	30W	E14	Candle	Ø36.5x124	200



LED CANDLE BULBS-2PCS BLISTER-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7293 - 6400K WHITE	VT-2106	5.5W	470	40W	E14	Candle	Ø37x100	50



LED CANDLE BULBS-3PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217263 - 3000K WARM WHITE 217264 - 4000K DAY WHITE 217265 - 6500K WHITE	VT-2076-N	4.5W	470	40W	E14	Candle	Ø39x102	180



LED CANDLE BULBS-6PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212738 - 6500K WHITE	VT-2246-N	4.5W	470	40W	E14	Candle	Ø36.5x100	180



LED CANDLE BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2143421 - 3000K WARM WHITE 2143431 - 4000K DAY WHITE 2143441 - 6500K WHITE	VT-1821N-N	4.5W	470	40W	E27	Candle	Ø36.5x100	200

LED G45 BULBS

Small, round, 45mm golf bulbs usually used in vanities, bedside lamps, desk lamps, and other fixtures in residential spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free






LED G45 BULBS-E27



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214160 - 3000K WARM WHITE 214162 - 4000K DAY WHITE 214207 - 6500K WHITE	VT-1830-N	3.7W	320	25W	E27	G45	Ø45x80	200
217407 - 3000K WARM WHITE 217408 - 4000K DAY WHITE 217409 - 6500K WHITE	VT-1879N-N	4.5W	470	40W	E27	G45	Ø45x80	200



LED G45 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217362 - 3000K WARM WHITE 217363 - 4000K DAY WHITE	VT-2176-N	4.5W	470	40W	E27	G45	Ø45x80	180

LED P45 BULBS

Ball-shaped E14 base-type bulbs usually used in chandeliers, table lamps, wall lamps, and other decorative lighting fixtures in residential and commercial spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free






LED P45 BULBS-E14



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4124 - 6400K WHITE	VT-1819	4W	320	30W	E14	P45	Ø45x82	200
214123 - 3000K WARM WHITE 214174 - 4000K DAY WHITE 214124 - 6500K WHITE	VT-1819-N	3.7W	320	25W	E14	P45	Ø45x80	200
2142501 - 3000K WARM WHITE 2142511 - 4000K DAY WHITE 2142521 - 6500K WHITE	VT-1880N-N	4.5W	470	40W	E14	P45	Ø45x80	200

LED P45 3PCS PACK-E14



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217357 - 3000K WARM WHITE 217359 - 6500K WHITE	VT-2156-N	4.5W	470	40W	E14	A60	Ø45x80	180

LED P45 6PCS PACK-E14



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212733 - 3000K WARM WHITE 212734 - 4000K DAY WHITE	VT-2266-N	4.5W	470	40W	E14	P45	Ø45x80	180

LED THERMOPLASTIC BULBS

Our extensive range of classic, thermoplastic GLS bulbs are efficient replacements for traditional incandescent light fittings in both indoor and outdoor locations.

- Includes standard base variations (E27 and B22)
- Various power and size options (A60, A65, and A80) available
- Available in blister packs and 3/6pc multipacks






LED A60 BULBS-B22



BAYONET HOLDER

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217422 - 3000K WARM WHITE 217402 - 4000K DAY WHITE 217403 - 6500K WHITE	VT-2189-N	8.5W	806	60W	B22	A60	Ø60x108	100
217229 - 3000K WARM WHITE	VT-2015-B22-N	15W	1521	100W	B22	A65	Ø65x134	100

LED A60 BULBS 3PCS PACK-B22



BAYONET HOLDER

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217246 - 3000K WARM WHITE	VT-2069-3PC-N	8.5W	806	60W	B22	A60	Ø60x108	120



LED A60 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217260 - 3000K WARM WHITE 217261 - 4000K DAY WHITE 217262 - 6500K WHITE	VT-2099-N	8.5W	806	60W	E27	A60	Ø60x108	200
217350 - 3000K WARM WHITE 217349 - 4000K DAY WHITE 217351 - 6500K WHITE	VT-2112-N	10.5W	1055	75W	E27	A60	Ø60x110	100



LED A60 BULBS 2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7297 - 2700K WARM WHITE	VT-2111	11W	1055	75W	E27	A60	Ø60x120	25



LED A60 BULBS 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217240 - 3000K WARM WHITE 217241 - 4000K DAY WHITE 217242 - 6500K WHITE	VT-1900-N	8.5W	806	60W	E27	A60	Ø60x108	120
217352 - 3700K WARM WHITE 217353 - 4000K DAY WHITE 217354 - 6500K WHITE	VT-2113-N	10.5W	1055	75W	E27	A60	Ø60x110	120
212819 - 3000K WARM WHITE 212820 - 4000K DAY WHITE 212818 - 6500K WHITE	VT-2015-3PC-N	15W	1521	100W	E27	A65	Ø65x134	40



LED A65 BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214454 - 4000K DAY WHITE 214455 - 6500K WHITE	VT-2015-E27-N	15W	1521	100W	E27	A65	Ø65x134	100
214457 - 4000K DAY WHITE 214458 - 6500K WHITE	VT-2017-N	17W	1710	110W	E27	A65	Ø65x134	100



LED A65-2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7300 - 2700K WARM WHITE 7302 - 6400K WHITE	VT-2117	15W	1350	90W	E27	A65	Ø66.5x134	25



LED A80-E27 BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2707 - 3000K WARM WHITE	VT-2218	18W	2000	125W	E27	A80	Ø80x142	50



LED BULBS T37

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	230°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7173 - 2700K WARM WHITE	VT-2029	9W	750	50W	E14	T37	Ø37x115	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212713 - 3000K WARM WHITE 212714 - 4000K DAY WHITE 212715 - 6500K WHITE	VT-2237-N	7W	700	50W	R7S	R7S	Ø28x78	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212834 - 3000K WARM WHITE 212835 - 4000K DAY WHITE 212836 - 6500K WHITE	VT-2118-N	16W	2000	126W	R7S	R7S	Ø30x118	100



LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4278 - 6400K WHITE	VT-1893	10W	810	60W	E27	G95	Ø95x140	12



LED GLOBE BULBS-E27

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7195 - 6000K WHITE	VT-1884D	13W **Dimmable**	1055	75W	E27	G120	Ø120x164	12

NEW



LED BIG BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	160°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Base	Shape	Size(mm)	Box Qty
23568 - 4000K DAY WHITE 23569 - 6500K WHITE	VT-21020	20W	2060	E27	T80	80x133mm	50
23570 - 4000K DAY WHITE 23571 - 6500K WHITE	VT-21031	30W	3210	E27	T100	100x157mm	20
23572 - 4000K DAY WHITE 23573 - 6500K WHITE	VT-21040	40W	4320	E27	T120	118x191mm	10
23574 - 4000K DAY WHITE 23575 - 6500K WHITE	VT-21050	50W	5400	E27	T140	138x220mm	10
23576 - 4000K DAY WHITE 23577 - 6500K WHITE	VT-21065	60W	6600	E27	T160	160x255mm	6

HIGH LUMEN CLEAR GLASS FILAMENT BULBS

Introducing the pinnacle of lighting innovation: the High Lumen Clear Glass Filament bulb, boasting an astounding 120 lumens efficacy and an awe-inspiring 95% energy saving capability. This remarkable creation redefines the way we illuminate our world, blending efficiency, elegance, and environmental consciousness into a single lighting marvel.



What truly sets this bulb apart, however, is its unrivaled efficiency. With a luminous efficacy of 210 lumens per watt, it transforms the way we perceive light. Its ability to convert electrical energy into a brilliant glow not only illuminates spaces in a remarkably cost-effective manner but also makes a substantial dent in energy consumption. A staggering 95% reduction in energy usage compared to traditional incandescent bulbs heralds a new era of sustainable lighting solutions.


Imagine the possibilities – spaces bathed in the gentle radiance of these bulbs while simultaneously witnessing a significant decrease in energy bills. The journey toward a brighter, more sustainable future starts with choices like these, where innovation meets efficiency and elegance in a harmonious blend of form and function.





HIGH LUMEN FILAMENT BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W


95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6822 - 3000K WARM WHITE	VT-2322	2.2W	465	40W	E27	A60	Ø60x105



HIGH LUMEN FILAMENT BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W


95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6823 - 3000K WARM WHITE	VT-2422	2.2W	465	40W	E27	G45	Ø45x79



HIGH LUMEN FILAMENT BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W


95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6825 - 3000K WARM WHITE	VT-2922	2.2W	465	40W	E14	P45	Ø45x105



HIGH LUMEN FILAMENT BULBS-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W


95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6824 - 3000K WARM WHITE	VT-2722	2.2W	465	40W	E14	Candle	Ø35x123



HIGH LUMEN FILAMENT BULBS-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2996 - 3000K WARM WHITE	VT-2364	4W	840	60W	E27	ST64	Ø64x143	100

LED FILAMENT & DECORATIVE BULBS

LED filament decorative bulbs are a captivating fusion of vintage aesthetics and modern lighting technology. These bulbs cleverly mimic the appearance of traditional incandescent filament bulbs while harnessing the energy-efficient prowess of LEDs. The result is a lighting solution that not only evokes nostalgia but also embraces sustainability and efficiency.

Available in various shapes, sizes, and designs, LED filament decorative bulbs cater to a wide array of interior styles. Whether suspended in pendant lights, nestled in chandeliers, or showcased in table lamps, these bulbs are as much an element of interior design as they are a source of illumination.






LED FILAMENT VASE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8056	VT-2264	4W	NA	NA	E27	Vase	Ø140x200	8



LED FILAMENT COBBLE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8057	VT-2265	4W	NA	NA	E27	Cobble	Ø220x225	6



LED FILAMENT APPLE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8064	VT-2263	4W	NA	NA	E27	Apple	Ø190x275	6



LED AMBER SPIRAL FILAMENT A160 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23166 - 2700K WARM WHITE	VT-2267	4W	250	NA	E27	A160	Ø160X275	6



LED SMOKY SPIRAL FILAMENT A160 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23167 - 2700K WARM WHITE	VT-2268	4W	120	NA	E27	A160	Ø160X275	6



LED AMBER SPIRAL FILAMENT A165 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23168 - 2700K WARM WHITE	VT-2269	4W	250	NA	E27	A165	Ø165x275	6



LED AMBER SPIRAL FILAMENT G200 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23169 - 2700K WARM WHITE	VT-2270	4W	250	NA	E27	G200	Ø200x280	6



LED SMOKY SPIRAL FILAMENT G200 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23170 - 2700K WARM WHITE	VT-2271	4W	120	NA	E27	G200	Ø200x280	6



LED AMBER SPIRAL FILAMENT B125 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23171 - 2700K WARM WHITE	VT-2272	4W	250	NA	E27	B125	Ø125x340	6



LED AMBER SPIRAL FILAMENT ST120 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23172 - 2700K WARM WHITE	VT-2273	4W	250	NA	E27	ST120	Ø120x260	6



LED 3D FILAMENT BULBS A60

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212704 - 3000K WARM WHITE	VT-2203-N	3W	20	NA	E27	A60	Ø60x105	100



LED 3D FILAMENT BULBS ST64

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212705 - 3000K WARM WHITE	VT-2223-N	3W	25	NA	E27	ST64	Ø64x135	100



LED 3D FILAMENT BULBS G125

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212706 - 3000K WARM WHITE	VT-2233-N	3W	40	NA	E27	G125	Ø125x165	20



FILAMENT-G125-E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2700 - 2200K WARM WHITE	VT-2205	5W	70	30W	E27	G125	Ø125x175	50



FILAMENT-T180-E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212790 -1800K WARM WHITE	VT-2308-N	8W	620	55W	E27	T180	ØD:175x150	12



FILAMENT-G200-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80



DECORATIVE BULBS


DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217462 - 2000K WARM WHITE	VT-2158D-N	8W	500	40W	E27	G200	Ø200x297	12



SMOKY FILAMENT-S200-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80



DECORATIVE BULBS

DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217465 - 1800K WARM WHITE	VT-2188D-N	8W	350	30W	E27	S200	Ø180x390	12



FILAMENT-R125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	110°
PF	>0.5
CRI	>80



DECORATIVE BULBS


DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7467 - 4000K DAY WHITE 7468 - 6500K WHITE	VT-2198D	8W	600	50W	E27	R125	Ø125x182	24



AMBER COVER -LED FILAMENT BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217335 - 1800K WARM WHITE	VT-2154-N	4W	220	40W	E27	A60	Ø60x105	100



CLEAR FILAMENT-A60-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217336 - 3000K WARM WHITE	VT-2164-N	4W	300	40W	E27	A60	Ø60x105	100



AMBER COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217157 - 2200K WARM WHITE	VT-2028-N	10W	950	65W	E27	A67	Ø60x105	100
217457 - 2200K WARM WHITE	VT-2123-N	12W	1350	85W	E27	A70	Ø60x105	100



FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217474 - 1800K WARM WHITE	VT-2185-N	4W	200	20W	E27	ST64	Ø64x142	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217220 - 2200K WARM WHITE	VT-2066-N	4.8W	280	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214361 - 2200 WARM WHITE	VT-1964-N	4W	350	40W	E27	ST64	Ø64x143	100
214362 - 2200K WARM WHITE	VT-1966-N	6W	550	45W	E27	ST64	Ø64x143	100
214421 - 2200K WARM WHITE	VT-1968-N	8W	720	60W	E27	ST64	Ø64x143	100
217218 - 1800K WARM WHITE	VT-2065-N	4.8W	300	30W	E27	ST64	Ø64x143	100
217416 - 1800K WARM WHITE	VT-2065D-N	4.8W **Dimmable**	250	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217146 - 2200K WARM WHITE	VT-2024-N	4W	350	35W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217217 - 1800K WARM WHITE	VT-2075-N	4.8W	280	30W	E27	G95	Ø95x138	20
217216 - 1800K WARM WHITE	VT-2085-N	4.8W	280	30W	E27	G125	Ø125x173	20
214473 - 2200K WARM WHITE	VT-1956-N	6W	550	55W	E27	G125	Ø125x173	20
217155 - 2200K WARM WHITE	VT-2018D-N	8W **Dimmable**	700	60W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217147 - 2200K WARM WHITE	VT-2027-N	7W	700	60W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217145 - 2200K WARM WHITE	VT-2019-N	8W	700	65W	E27	G95	Ø95x138	20



FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217475 - 1800K WARM WHITE	VT-2195-N	4W	200	20W	E27	G125	Ø125x164	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>70




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217328 - 1800K WARM WHITE	VT-2126-N	6W	400	55W	E27	G125	Ø125x173	20



FILAMENT-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217456 - 2200K WARM WHITE	VT-2153-N	12W	1350	85W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217473 - 1800K WARM WHITE	VT-2162-N	2W	65	9W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217142 - 2200K WARM WHITE	VT-2005-N	5W	500	45W	E27	T30	Ø30x300	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217143 - 2200K WARM WHITE	VT-2006-N	6W	600	50W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217144 - 2200K WARM WHITE	VT-2008-N	7W	700	60W	E27	T30	Ø30x300	100



FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217472 - 1800K WARM WHITE	VT-2152-N	2W	65	9W	E14	Candle	Ø35x103	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217113 - 2200K WARM WHITE	VT-1955-N	4W	350	40W	E14	Candle	Ø35x98	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217114 - 2200K WARM WHITE	VT-1949-N	4W	350	35W	E14	Candle	Ø35x118	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217115 - 2200K WARM WHITE	VT-1948-N	4W	350	35W	E14	Candle	Ø35x100	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217116 - 2200K WARM WHITE	VT-1947-N	4W	350	35W	E14	Candle	Ø35x121	100



AMBER COVER -FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217100 - 2200K WARM WHITE	VT-1957-N	4W	350	30W	E27	G45	Ø45x75	100



AMBER COVER -FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214499 - 2200K WARM WHITE	VT-1953-N	4W	350	30W	E14	P45	Ø45x77	100



FROST COVER-CROSS FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
44801 - 2700K WARM WHITE	VT-1935C	6W	660	55W	E27	A60	Ø60x107	50
71811 - 2700K WARM WHITE	VT-2047C	7W	840	60W	E27	A60	Ø60x107	50



FROST COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7178 - 2700K WARM WHITE 7180 - 6400K WHITE	VT-2045	5W	600	50W	E27	A60	Ø60x107	50
4483 - 2700K WARM WHITE 4485 - 6400K WHITE	VT-1938	8W	800	60W	E27	A67	Ø67x123	50
7154 - 6400K WHITE	VT-2023	10W	1055	75W	E27	A67	Ø67x123	50



FROST COVER -FILAMENT-GLOBE-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7188 - 6400K WHITE	VT-2057	7W	840	60W	E27	G95	Ø95x135	12



CLEAR GLASS-FILAMENT-A60-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7120 - 6400K WHITE	VT-1885	4W	400	40W	E27	A60	Ø60x107	50
217120 - 6500K WHITE	VT-1885-N	4W	400	35W	E27	A60	Ø60x105	100
214272 - 3000K WARM WHITE 214303 - 4000K DAY WHITE	VT-1887-N	6W	600	30W	E27	A60	Ø60x107	100



CLEAR GLASS-FILAMENT-A67-E27

DIMMABLE

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212815 - 2700K WARM WHITE	VT-2288D-N	8W **Dimmable**	720	50W	E27	A67	Ø67x123	100
214410 - 3000K WARM WHITE 214411 - 4000K DAY WHITE 214412 - 6500K WHITE	VT-1981-N	10W	1055	75W	E27	A67	Ø67x123	20
212802 - 3000K WARM WHITE	VT-2328-N	18W	2520	150W	E27	A67	Ø67x123	100



CLEAR GLASS-FILAMENT-A70-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217458 - 3000K WARM WHITE 217459 - 4000K DAY WHITE 217460 - 6500K WHITE	VT-2133-N	12W	1521	100W	E27	A70	Ø70x132	100



FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217251 - 3000K WARM WHITE	VT-2042-N	2W	200	20W	E27	T30	Ø30x136	100



FILAMENT-T20-E14

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	360°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2703 - 6000K WHITE	VT-2204	4W	400	35W	E14	T20	Ø20x135	100
212701 - 3000K WARM WHITE	VT-2204-N	4W	400	NA	E14	T20	Ø20x135	100



CLEAR GLASS-FILAMENT-ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214444 - 3000K WARM WHITE 214445 - 4000K DAY WHITE 214446 - 6400K WHITE	VT-1952-N	2W	200	20W	E14	ST26	Ø26x58	200



HIGH LUMEN CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212848 - 3000K WARM WHITE 212849 - 4000K DAY WHITE 212850 - 6500K WHITE	VT-2327-N	6W	800	60W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214301 - 3000K WARM WHITE 214413 - 4000K DAY WHITE 214414 - 6500K WHITE	VT-1986-N	4W	400	35W	E14	Candle	Ø35x98	100
2870 - 3000K WARM WHITE	VT-2304D	4W **Dimmable**	400	35W	E14	Candle	Ø35x98	200
7806 - 3000K WARM WHITE 7807 - 4000K DAY WHITE	VT-21125	5.5W	600	45W	E14	Candle	Ø35x98	100
217423 - 3000K WARM WHITE 217424- 4000K DAY WHITE 217425 - 6500K WHITE	VT-2127-N	6W	600	45W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214367 - 3000K WARM WHITE	VT-1985D-N	4W **Dimmable**	400	30W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214308 - 3000K WARM WHITE 214431 - 4000K DAY WHITE 214432 - 6500K WHITE	VT-1995-N	4W	400	40W	E14	Candle	Ø35x121	100



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214302 - 3000K WARM WHITE 214429 - 4000K DAY WHITE 214430 - 6500K WHITE	VT-1997-N	4W	400	40W	E14	Candle	Ø35x121	100



CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4425 - 4000K DAY WHITE	VT-1996	4W	400	40W	E14	P45	Ø45x77	100
214300 - 3000K WARM WHITE	VT-1996-N	4W	400	40W	E14	P45	Ø45x77	100
2845 - 3000K WARM WHITE	VT-2466	6W	600	45W	E14	P45	Ø45x78	100
212847 - 6500K WHITE	VT-2466-N	6W	600	45W	E14	P45	Ø45x78	100



HIGH LUMENS CLEAR GLASS-FILAMENT-P45-E14

130 LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2856 - 6400K WHITE 2854 - 3000K WARM WHITE 2855 - 4000K DAY WHITE	VT-2486	6W	800	60W	E14	P45	Ø45x77	100



CLEAR GLASS-FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214306 - 3000K WARM WHITE 214428 - 6500K WHITE	VT-1980-N	4W	400	40W	E27	G45	Ø45x75	100
212844 - 6500K WHITE 212843 - 4000K DAY WHITE	VT-2366-N	6W	600	45W	E27	G45	Ø45x72	100



HIGH LUMENS CLEAR GLASS-FILAMENT-G45-E27

130 LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2853 - 6400K WHITE 2851 - 3000K WARM WHITE 2852 - 4000K DAY WHITE	VT-2386	6W	800	60W	E27	G45	Ø45x75	100



PINK COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217410 - PINK	VT-2132-P-N	2W	60	10W	E27	G45	Ø45x75	100



GREEN COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217411 - GREEN	VT-2132-G-N	2W	60	10W	E27	G45	Ø45x75	100



BLUE COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217412 - BLUE	VT-2132-B-N	2W	60	10W	E27	G45	Ø45x75	100



RED COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217413 - RED	VT-2132-R-N	2W	60	10W	E27	G45	Ø45x75	100



CLEAR GLASS-FILAMENT-GLOBE-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214304 - 3000K WARM WHITE	VT-1983-N	6W	600	30W	E27	G125	Ø125x177	20
7427 - 6400K WHITE	VT-2147	6W	806	60W	E27	G125	Ø125x177	20
214422 - 3000K WARM WHITE 214423 - 4000K DAY WHITE 214424 - 6500K WHITE	VT-1979-N	10W	1055	60W	E27	G125	Ø125x177	20
217453 - 3000K WARM WHITE 217454 - 4000K DAY WHITE 217455 - 6500K WHITE	VT-2143-N	12W	1521	100W	E27	G125	Ø125x177	20



CLEAR GLASS-FILAMENT-GLOBE-G95-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214305 - 2700K WARM WHITE	VT-1993-N	6W	600	60W	E27	G95	Ø95x135	20



LED STRING LIGHT-13M-RGB

- 13 Meter Long String
- 0.5 watts per Bulb
- 15 G50 Bulbs included
- IP rating IP44
- 270° Beam Angle
- PVC wire, plastic bulb
- EU Plug

SKU	Model	Watts	Size	Box Qty
23159 - RGB	VT-713S	7.5W	13M	10



LED STRING LIGHT-5M

- 5 Meter Long String
- 0.4 watts per Bulb
- 10 Bulbs included
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
212728 - 3000K WARM WHITE	VT-71510-N	4W	5M+3M cord	10




LED STRING LIGHT-5M

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7435 - RGB+YELLOW	VT-70510	5W	5M	10
217436 - 3000K WARM WHITE	VT-70510-N	5W	5M	10

LED STRING LIGHT-10M



- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7438 - RGB+YELLOW	VT-71020	10W	10M	10
217439 - 3000K WARM WHITE 217440 - 6000K WHITE	VT-71020-N	10W	10M	5

STRING LIGHT WP SOCKET-E27-EU PLUG-15M



- 15 Meter Long String
- 15 E27 Holders with Rubber Cable
- IP65
- Max 40 Watts Each Holder
- Designed with EU Plug
- Bulbs are not included

IP65 RATING

SKU	Model	Size(Meter)	Box Qty
7699	VT-713-EU	15M	4

STRING LIGHT SOCKET-E27-5M



- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included

IP54 RATING

SKU	Model	Size(Meter)	Box Qty
3698	VT-7135	5M	4

STRING LIGHT SOCKET-E27-15M



- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included

IP54 RATING

SKU	Model	Size(Meter)	Box Qty
3673	VT-713	15M	4

V-TAC

Meaningful Innovation.



LED Spotlights

Introducing a sustainable and energy-efficient replacement for power-hungry halogen spotlights. An extensive range of LED Spotlights (1.2W-8W).


Key Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for a durable body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver



G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4466 - 3000K WARM WHITE 4467 - 4000K DAY WHITE 4468 - 6400K WHITE	VT-1946	2.5W	200	25W	G9	300°	16.5x46.5	400



G9-LED CAPSULE LIGHT-6PCS PACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2745 - 3000K WARM WHITE 2746 - 4000K DAY WHITE 2747 - 6400K WHITE	VT-2243	3W	300	25W	G9	300°	17x49	300



GU10 SPOTLIGHT-RGB WITH REMOTE CONTROL

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



RGB

DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2927 - RGB+3000K WARM WHITE 2930 - RGB+4000K DAY WHITE	VT-2244-N-1	5.5W	420	35W	GU10	110°	56.5x50	200



GU10 SPOTLIGHT MILKY COVER-100°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2987 - 3000K WARM WHITE 2988 - 4000K DAY WHITE 2989 - 6500K WHITE	VT-2333	2.9W	250	25W	GU10	100°	50x56.5	200



GU10 SPOTLIGHT MILKY COVER-110°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211685 - 3000K WARM WHITE 211686 - 4500K DAY WHITE 211687 - 6000K WHITE	VT-1975-N	4.5W	400	35W	GU10	100°	50x56.5	200



GU10 SPOTLIGHT MILKY COVER-3PCS PACK

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
217269 - 3000K WARM WHITE 217270 - 4000K DAY WHITE 217271 - 6500K WHITE	VT-2095-N	4.5W	400	35W	GU10	100°	56.5x50	180



GU10 SPOTLIGHT MILKY COVER-6PCS PACK

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212739 - 3000K WARM WHITE 212740 - 4000K DAY WHITE 212741 - 6500K WHITE	VT-2225-N	4.5W	400	35W	GU10	100°	56.5x50	180

ALUMINIUM MODULE SPOTLIGHT





Voltage/Frequency	AC:220-240V,50Hz
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
10301 - 3000K WARM WHITE 10302 - 4000K DAY WHITE 10303 - 6400K WHITE	VT-1018	18W	1900	NA	NA	34°	78x63x50	50

AR111 DOWNLIGHT



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212792 - 3000K WARM WHITE 212793 - 4000K DAY WHITE 212794 - 6500K WHITE	VT-1121-N	20W	1700	130W		40°/20°	Ø111x53	50

20°AR111 DOWNLIGHT



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
1245 - 6000K WHITE	VT-1120-20	20W	1800	100W	N/A	20°	Ø111x53	50

AR111 PAR LIGHT-RECESSED-G53



Voltage/Frequency	AC/DC:12V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4061 - 6400K WHITE	VT-1110-20	15W	950	75W	G53	20°	Ø111x86x63	60
214084 - 3000K WARM WHITE 214062 - 4000K DAY WHITE	VT-1110-20-N	12W	3000K-1030 4000K-1050	75W	G53	20°	Ø111x86x63	60
214257 - 3000K WARM WHITE 214256 - 4000K DAY WHITE 214255 - 6000K WHITE	VT-1110-40-N	12W	3000K-1085 4000K-1160 6000K-1200	25W	G53	40°	Ø111x86x63	60

AR111 LED SPOTLIGHT- GU10

DIMMABLE OPTIONS




Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4223 - 4000K DAY WHITE	VT-1112	12W	900	60W	GU10	40°	Ø111x86	60
214224 - 3000K WARM WHITE 214225 - 6000K WHITE	VT-1112-N	12W	3000K-1020 6000K-1120	60W	GU10	40°	Ø111x86	
217234 - 3000K WARM WHITE 217235 - 4000K DAY WHITE 217236 - 6000K WHITE	VT-1112D-N	12W **Dimmable**	3000K-1030 6000K-1300	60W	GU10	40°	Ø111x86	

1XAR111 FITITNG




SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3575	VT-7221-W	White	Aluminium	1XAR111	163x163	174x174	24
3581	VT-7221-B	Black	Aluminium	1XAR111	163x163	174x174	24



2XAR111 FITITNG


SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3576	VT-7222-W	White	Aluminium	2XAR111	167x305	325x174	12
3582	VT-7222-B	Black	Aluminium	2XAR111	167x305	325x174	12



3XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
35771	VT-7223-W	White	Aluminium	3XAR111	168x455	475x174	12
35831	VT-7223-B	Black	Aluminium	3XAR111	168x455	475x174	12

GU10-HOLDER-PVC CABLE



Model No: PVC Cable-5pc
SKU: 34235
Base: GU10
Material: Ceramic
Color: White
Size(mm): 150
Cutting Size: NA
Box Qty: 100

GU10-HOLDER-PVC CABLE



Model No: PVC Cable
SKU: 3423
Base: GU10
Material: Ceramic
Color: White
Size(mm): 150
Cutting Size: NA
Box Qty: 500

GU10 SILICON WIRE-5PCS PACK



Model No: VT-791
SKU: 36205
Base: GU10
Material: Aluminium Ceramic
Color: White
Size(mm): 158
Cutting Size: NA
Box Qty: 500

GU10 SILICON WIRE



Model No: VT-791-W
SKU: 3620
Base: GU10
Material: Aluminium Ceramic
Color: White
Size(mm): 158
Cutting Size: NA
Box Qty: 500



E14-HOLDER

SKU	Box Qty
8840	400



E14-HOLDER

SKU	Box Qty
8751	400



E14-HOLDER

SKU	Box Qty
8753	400