

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Panels

All models in the PRO Series LED panel series are made with high quality PMMA diffusers which provide a evenly distributed light and prevents the panels from turning yellow.

The panels' durability is evidenced by exteriors composed of an innovative combination of aluminium+PMMA+PP, and further energy savings thanks to the upgraded driver box and Samsung LEDs. Both frameless and big panels include a quick connector for easy installation.

Key Features

- Quick connector included
- Flicker-free; stable drivers eliminate flashes
- Better light quality, fewer false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- A variety of both Square and round frameless mini panels to choose from.




HIGH LUMEN LED PANELS

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

05 YEAR WARRANTY

120 LUMEN/W



SKU	Model	Watts	Lumens	Box Qty	Size
20419 | 4000K DAY WHITE	VT-629-1	29W	3480	6 pcs	595x595x9mm

NEW




BACKLIT HIGH LUMEN PANELS

- IP20 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >20000

05 YEAR WARRANTY

120 LUMEN/W



SKU	Model	Watts	Lumens	Box Qty	Size
23624 | 4000K DAY WHITE 23625 | 6500K WHITE	VT-61036	36W	4320	10 pcs	595x595x33mm

NEW




BACKLIT 2IN1 PANELS

- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000/25,000 hr lifespan
- On/Off Cycle >15000

03 YEAR WARRANTY

2IN1 RECESSED OR SURFACE



SKU	Model	Watts	Lumens	Box Qty	Size
216380 | 4000K DAY WHITE 216381 | 6500K WHITE	VT-6139S	36W	3960	6 pcs	595x595x30mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW


BACKLIT 2IN1 PANELS



- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000 hr lifespan
- On/Off Cycle >15000

03 YEAR WARRANTY

2IN1 RECESSED OR SURFACE



SKU	Model	Watts	Lumens	Box Qty	Size
2166251 | 4000K DAY WHITE 2166261 | 6500K WHITE	VT-6147	40W	4400	6 pcs	1195x295x30mm

NEW

BACKLIT SURFACED MINI PANELS





- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Shape	Size
78701 | 3000K WARM WHITE 78711 | 4000K DAY WHITE 78721 | 6500K WHITE	VT-60006RD-S	6W	660	Round	ø121.2x30.6mm
78731 | 3000K WARM WHITE 78741 | 4000K DAY WHITE 78751 | 6500K WHITE	VT-60012RD-S	12W	1200	Round	ø167.4x30.7mm
78761 | 3000K WARM WHITE 78771 | 4000K DAY WHITE 78781 | 6500K WHITE	VT-60018RD-S	18W	1980	Round	ø215.6x30.8mm
78791 | 3000K WARM WHITE 78801 | 4000K DAY WHITE 78811 | 6500K WHITE	VT-60024RD-S	24W	2640	Round	ø288.6x31.2mm
104921 | 3000K WARM WHITE 104931 | 4000K DAY WHITE 104941 | 6500K WHITE	VT-60006SQ-S	6W	660	Square	120.8x120.8x30.7mm
104951 | 3000K WARM WHITE 104961 | 4000K DAY WHITE 104971 | 6500K WHITE	VT-60012SQ-S	12W	1200	Square	167.3x167.3x30.7mm
104981 | 3000K WARM WHITE 104991 | 4000K DAY WHITE 105001 | 6500K WHITE	VT-60018SQ-S	18W	1980	Square	214x214x31mm
105141 | 3000K WARM WHITE 230231 | 4000K DAY WHITE 105161 | 6500K WHITE	VT-60024SQ-S	24W	2640	Square	285x285x30.7mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW BACKLIT RECESSED MINI PANELS



- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5
- Long springs

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Shape	Cutting Size	Size
78551 | 3000K WARM WHITE 78561 | 4000K DAY WHITE 78571 | 6500K WHITE	VT-61003RD-S	3W	330	Round	ø80mm	ø90.5x28mm
78581 | 3000K WARM WHITE 78591 | 4000K DAY WHITE 78601 | 6500K WHITE	VT-61006RD-S	6W	660	Round	ø110mm	ø120.5x28.4mm
78611 | 3000K WARM WHITE 78621 | 4000K DAY WHITE 78631 | 6500K WHITE	VT-61012RD-S	12W	1200	Round	ø155mm	ø170.8x28.4mm
78641 | 3000K WARM WHITE 78651 | 4000K DAY WHITE 78661 | 6500K WHITE	VT-61018RD-S	18W	1980	Round	ø205mm	ø220.8x28.9mm
78671 | 3000K WARM WHITE 78681 | 4000K DAY WHITE 78691 | 6500K WHITE	VT-61024RD-S	24W	2640	Round	ø280mm	ø294x29.1mm
104771 | 3000K WARM WHITE 104781 | 4000K DAY WHITE 104791 | 6500K WHITE	VT-61003SQ-S	3W	330	Square	80x80mm	90.2x90.2x28.2mm
104801 | 3000K WARM WHITE 104811 | 4000K DAY WHITE 104821 | 6500K WHITE	VT-61006SQ-S	6W	660	Square	110x110mm	120.5x120.5x28.4mm
104831 | 3000K WARM WHITE 104841 | 4000K DAY WHITE 104851 | 6500K WHITE	VT-61012SQ-S	12W	1200	Square	155x155mm	170.8x170.8x28.4mm
104861 | 3000K WARM WHITE 104871 | 4000K DAY WHITE 104881 | 6500K WHITE	VT-61018SQ-S	18W	1980	Square	205x205mm	220.4x220.4x28.8mm
104891 | 3000K WARM WHITE 104901 | 4000K DAY WHITE 104911 | 6500K WHITE	VT-61024SQ-S	24W	2640	Square	280x280mm	295x295x28.6mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.