



**Manufactured in France**   **Multi-temperature cabinet**   **Small size**   **Premium Pack**

Flush fitting multi-temperatures cabinet, for serving and tasting wine



## Technical Specifications

**Capacity** 38 bottles maximum\*

**Temperature**

- Default setup temperature: 8°C/46°F at bottom and 18°C/64°F at top
- Electronic regulation from 5 to 22°C (5 to 12°C/ 41 to 54°F at the bottom and 15 à 22°C/59 to 72°F at the top)

**Design**

- 3 doors options: technical solid door, full glass door with full glass handle (removable) or glass door black frame with stainless steel black handle
- LED screen with touch buttons
- Inner lighting (3 lighting options: permanent, open door, disabled)
- Amber screen display
- Reversible doors (only on glass and full glass doors)
- Lock

**Accessories**

- 4 sliding shelves equipped with «Mains du Sommelier»
- 1 EuroCave key ring

**Equipment**

- Charcoal filter (with counter)
- 4 adjustable feet
- Low emission glasses and argon gas between 2 panes (only on glass and full glass doors)
- Condensate drip tray at the back

**Regulation**

- Electronic regulation
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter)
- Display of the real temperature inside the cabinet
- Automatic defrost

**Technologies**

- Cold production:** Static cooling
- Cords:** CE/UK/AU/CH/ US/JA/C6/CN
- Hot production:** Heating element
- Hot release:** Automatic
- Threshold: adjustable
- Inner material:** Aluminium
- Exterior coating material:** HDF (High Density Fiber)
- Insulation type:** PU foam

\*Traditional Bordeaux format

Equipment  
**Standard shelf**



Sliding shelf  
ACMSCV2  
8 bottles

Equipment  
**Optional shelves**



Storage shelf  
AXLNH  
50 bottles



Presentation kit  
AOPRES  
9 bottles

## General features

	Full Glass door / Glass door	Technical solid door
Empty wine cabinet net weight (kg)	46	41
Equipped cabinet net weight (kg)	56	51
Gross weight packaged (kg)	69	64
Dimensions H x W x D (mm)	818/834 x 594 x 555**	836/852 x 594x 550**
Dimensions packaged (mm)	1000 x 620 x 620	1000 x 620 x 620
Colour	Nero - RAL 9005	Nero - RAL 9005

\*\*Without the handle . No rear stop needed for this model

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Full Glass door / Glass door	Technical solid door	Full Glass door / Glass door	Technical solid door
Type of door				
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	157	128	172	172
Sound emission (dB(A))	41	41	41	41
Sound emission Class	C	C	C	C
Ambient operating temperature (°C/°F)	0-30/32-86	0-30/ 32-86	0-30/32-86	0-30/32-86
Useful volume (litres)				

116

Compact, in a few words...

## Wine that's ready to drink whenever you want it!

In flush-fitted version, wine cabinets in the Compact collection fit perfectly into your kitchen as their dimensions are determined by kitchen designers. In free-standing version, they meet your space constraints and easily fit into your living room or cellar.





**Manufactured in France**

**Multi-temperatures cabinet**

**Small size**

**Access Pack**



Flush fitting multi-temperatures cabinet, for serving and tasting wine

## Technical Specifications

**Capacity** 47 bottles maximum\*

**Temperature**

- Default setup temperature: 8°C/46°F at bottom and 18°C/64°F at top
- Electronic regulation from 5 to 22°C (5 to 12°C/ 41 to 54°F at the bottom and 15 à 22°C/59 to 72°F at the top)

**Design**

- 3 doors options: technical solid door, full glass door with full glass handle (removable) or glass door black frame with stainless steel black handle
- LED screen with touch buttons
- Inner lighting (3 lighting options: permanent, open door, disabled)
- Amber screen display
- Reversible doors (only on glass and full glass doors)
- Lock

**Accessories**

- 1 sliding shelf equipped with «Mains du Sommelier» and 1 storage shelf
- 1 EuroCave key ring

**Equipment**

- Charcoal filter (with counter)
- 4 adjustable feet
- Low emission glasses and argon gas between 2 panes (only on glass and full glass doors)
- Condensate drip tray at the back

**Regulation**

- Electronic regulation
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter)
- Display of the real temperature inside the cabinet
- Automatic defrost

**Technologies**

- Cold production:** Static cooling
- Cords:** CE/UK/AU/CH/ US/JA/C6/CN
- Hot production:** Heating element
- Hot release:** Automatic
- Threshold: adjustable
- Inner material:** Aluminium
- Exterior coating material:** HDF (High Density Fiber)
- Insulation type:** PU foam

Equipment  
**Standard shelves**



Sliding shelf  
ACMSCV2  
8 bottles



Storage shelf  
AXLXH  
50 bottles

Equipment  
**Optional shelf**



Presentation kit  
AOPRES  
9 bottles

\*Traditional Bordeaux format

## General features

	Full Glass door / Glass door	Technical solid door
Empty wine cabinet net weight (kg)	46	41
Equipped cabinet net weight (kg)	50	45
Gross weight packaged (kg)	63	58
Dimensions H x W x D (mm)	818/834 x 594 x 555**	836/852 x 594x 550**
Dimensions packaged (mm)	1000 x 620 x 620	1000 x 620 x 620
Colour	Nero - RAL 9005	Nero - RAL 9005

\*\*Without the handle . No rear stop needed for this model

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Full Glass door / Glass door	Technical solid door	Full Glass door / Glass door	Technical solid door
Type of door				
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	157	128	172	172
Sound emission (dB(A))	41	41	41	41
Sound emission Class	C	C	C	C
Ambient operating temperature (°C/°F)	0-30/32-86	0-30/ 32-86	0-30/32-86	0-30/32-86
Useful volume (litres)				

116

Compact, in a few words...

## Wine that's ready to drink whenever you want it!

In flush-fitted version, wine cabinets in the Compact collection fit perfectly into your kitchen as their dimensions are determined by kitchen designers. In free-standing version, they meet your space constraints and easily fit into your living room or cellar.

