



Manufactured in France

Multi-temperature cabinet

Large size

Access Pack

Flush fitting multi-temperatures cabinet, for serving and tasting wine

Technical Specifications

Equipment
Standard shelf



Sliding shelf
ACMSCV2
8 bottles



Storage shelf
AXLNH
50 bottles

Equipment
Optional shelves



Presentation kit
AOPRES
9 bottles

Capacity 164 bottles maximum*

Temperature

- Default setup temperature: 8°C/46°F at bottom and 18°C/64°F at top
- Electronic regulation from 5 to 22°C (5 to 12°C/ 41 to 54°F at the bottom and 15 à 22°C/59 to 72°F at the top)

Design

- 3 doors options: technical solid door, Full glass door with full glass handle (removable) or glass door black frame with stainless steel black handle
- LED screen with touch buttons
- Inner lighting (3 lighting options: permanent, open door, disabled)
- Amber screen display
- Reversible doors (only on glass and full glass doors)
- Lock

Accessories

- 1 sliding shelf equipped with «Mains du Sommelier» and 3 storage shelves
- 1 EuroCave key ring

Equipment

- Charcoal filter (with counter)
- 4 adjustable feet
- Low emission glasses and argon gas between 2 panes (only on glass and full glass doors)
- Condensate drip tray at the back

Regulation

- Electronic regulation
- Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter)
- Display of the real temperature inside the cabinet
- Automatic defrost

Technologies

- Cold production:** Static cooling
- Cords:** CE/UK/AU/CH/ US/JA/C6/CN
- Hot production:** Heating element
- Hot release:** Automatic
- Threshold: adjustable
- Inner material:** Aluminium
- Exterior coating material:** HDF (High Density Fiber)
- Insulation type:** PU foam

*Traditional Bordeaux format

General features

	Full Glass door / Glass door	Technical solid door
Empty wine cabinet net weight (kg)	79	66
Equipped cabinet net weight (kg)	85	72
Equipped and packaged cabinet weight (kg)	101	88
Dimensions H x W x D (mm)	1778/1794 x 594 x 595**	1796/1812 x 594 x 590**
Dimensions packaged (mm)	1920 x 620 x 620	1920 x 620 x 620
Colour	Nero - RAL 9005	Nero - RAL 9005

**With rear stop, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Full Glass door / Glass door	Technical solid door	Full Glass door / Glass door	Technical solid door
Type of door				
Energy efficiency class	G	F	/	/
Annual energy consumption AEC (Kwh/year)	183	150	212	212
Sound emission (dB(A))	41	41	41	41
Sound emission Class	C	C	C	C
Ambient operating temperature (°C/°F)	0-35/ 32-95	0-30/ 32-86	0-35/ 32-95	0-30/ 32-86
Useful volume (litres)		323		

Compact, in a few words...

Wine that's ready to drink whenever you want it!

In flush-fitted version, wine cabinets in the Compact collection fit perfectly into your kitchen as their dimensions are determined by kitchen designers. In free-standing version, they meet your space constraints and easily fit into your living room or cellar.





Manufactured in France **Multi-temperature cabinet** **Large size** **Premium Pack**

Flush fitting multi-temperatures cabinet, for serving and tasting wine

Technical Specifications

Equipment
Standard shelf ▾



Sliding shelf
ACMSCV2
8 bottles

Equipment
Optional shelves ▾



Storage shelf
AXLNH
50 bottles



Presentation kit
AOPRES
9 bottles

Capacity	110 bottles maximum*	
Temperature	<ul style="list-style-type: none"> · Default setup temperature: 8°C/46°F at bottom and 18°C/64°F at top · Electronic regulation from 5 to 22°C (5 to 12°C/ 41 to 54°F at the bottom and 15 à 22°C/59 to 72°F at the top) 	
Design	<ul style="list-style-type: none"> · 3 doors options: technical solid door, full glass door with full glass handle (removable) or glass door black frame with stainless steel black handle · Reversible doors (only on glass and full glass doors) · Lock 	<ul style="list-style-type: none"> · LED screen with touch buttons · Inner lighting (3 lighting options: permanent, open door, disabled) · Amber screen display
Accessories	<ul style="list-style-type: none"> · 13 sliding shelves equipped with «Mains du Sommelier» 	<ul style="list-style-type: none"> · 1 EuroCave key ring
Equipment	<ul style="list-style-type: none"> · Charcoal filter (with counter) · Low emission glasses and argon gas between 2 panes (only on glass and full glass doors) 	<ul style="list-style-type: none"> · 4 adjustable feet · Condensate drip tray at the back
Regulation	<ul style="list-style-type: none"> · Electronic regulation · Display of the real temperature inside the cabinet 	<ul style="list-style-type: none"> · Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter) · Automatic defrost
Technologies	<p>Cold production:</p> <p>Cords:</p> <p>Hot production:</p> <p>Hot release:</p> <p>Inner material:</p> <p>Exterior coating material:</p> <p>Insulation type:</p>	<p>Static cooling</p> <p>CE/UK/AU/CH/ US/JA/C6/CN</p> <p>Heating element</p> <p>Automatic</p> <p>Threshold: adjustable</p> <p>Aluminium</p> <p>HDF (High Density Fiber)</p> <p>PU foam</p>

*Traditional Bordeaux format

General features

	Full Glass door / Glass door	Technical solid door
Empty wine cabinet net weight (kg)	79	66
Equipped cabinet net weight (kg)	113	100
Equipped and packaged cabinet weight (kg)	129	116
Dimensions H x W x D (mm)	1778/1794 x 594 x 595**	1796/1812 x 594 x 590**
Dimensions packaged (mm)	1920 x 620 x 620	1920 x 620 x 620
Colour	Nero - RAL 9005	Nero - RAL 9005

**With rear stop, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
	Full Glass door / Glass door	Technical solid door	Full Glass door / Glass door	Technical solid door
Type of door				
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	183	150	212	212
Sound emission (dB(A))	37	37	37	37
Sound emission Class	C	C	C	C
Ambient operating temperature (°C/°F)	0-35/ 32-95	0-30/ 32-86	0-35/ 32-95	0-30/ 32-86
Useful volume (litres)		323		

Compact, in a few words...

Wine that's ready to drink whenever you want it!

In flush-fitted version, wine cabinets in the Compact collection fit perfectly into your kitchen as their dimensions are determined by kitchen designers. In free-standing version, they meet your space constraints and easily fit into your living room or cellar.

